

Technical Data Sheet

M 17 Broth acc. to TERZAGHI

Ordering number: 1.15029.0500

Medium proposed by TERZAGHI and SANDINE (1975) for the cultivation and enumeration of lactic streptococci in milk and dairy products and for the differentiation of bacteriophages infecting lactic streptococci.

The M 17 medium acc. TERZAGHI is superior to other comparable culture media for the cultivation of the fastidious species *Streptococcus cremoris*, *Streptococcus diacetylactis* and *Streptococcus lactis*. Mutants which are incapable of metabolizing lactose can also be isolated on these media.

Mode of Action

Addition of sodium b-glycerophosphate increases the buffering capacity of the medium; this promotes the growth of lactic streptococci and the development of large bacteriophage plaques.

Typical Composition (g/L)

M 17 Broth acc. to TERZAGHI	
Peptone from soymeal	5.0
Peptone from meat	2.5
Peptone from casein	2.5
Yeast extract	2.5
Meat extract	5.0
Lactose monohydrate	5.0
Ascorbic acid	0.5
Sodium b-glycerophosphate	19.0
Magnesium sulfate	0.25

Preparation

Suspend 42.5 g M 17 broth/litre; dispense the broth into test tubes, autoclave (15 min at 121 °C).

pH: 7.2 ± 0.2 at 25 °C.

The prepared medium is clear and brown.

Experimental Procedure and Evaluation

Inoculate the tubes.

Incubation: 24-48 hours at 28 °C aerobically.

Storage

Store at +15 °C to +25 °C, dry and tightly closed. Do not use clumped or discolored medium. Protect from UV light (including sun light). For *in vitro* use only.

Quality Control

Control strains	Growth after 48 h at 28°C, aerobic:
Streptococcus agalactiae ATCC 13813	good / very good
Lactococcus lactis spp. cremoris ATCC 19257	good / very good
Lactococcus lactis spp. lactis ATCC 19435 (WDCM 00016)	good / very good
Enterococcus faecalis ATCC 11700	good / very good
Escherichia coli ATCC 25922 (WDCM 00013)	good / very good
Staphylococcus aureus ATCC 25923 (WDCM 00034)	good / very good
Lactobacillus acidophilus ATCC 4356 (WDCM 00098)	fair / very good
Lactobacillus casei ATCC 393 (WDCM 00100)	fair / good
Lactobacillus fermentum ATCC 9338	fair / good

Please refer to the actual batch related Certificate of Analysis



We provide information and advice to our customers on application technologies and regulatory matters to the best of our knowledge and ability, but without obligation or liability. Existing laws and regulations are to be observed in all cases by our customers. This also applies in respect to any rights of third parties. Our information and advice do not relieve our customers of their own responsibility for checking the suitability of our products for the envisaged purpose.

Merck Millipore, the M logo, are registered trademarks of Merck KGaA, Darmstadt, Germany. ATCC is a registered trademark of ATCC, Manassas, VA, USA. Lit. No. TN1824EN00

Literature

BRINCHMANN, E., NAMORK, E., JOHANSEN, B.V., a. LANGSRUD, T.: A morphological study of lactic streptococcal bacteriophages isolated from Norwegian cultured milk. - **Milchwirtschaft.**, **38**; 1-4 (1983).

KEOGH, B.P.: Appraisal of media and methods for assay of bacteriophages of lactic streptococci. - **Appl. Environ. Microbiol.**, **40**; 798-802 (1980).

TERZAGHI, B.E.: Morphologies and host sensitives of lactic streptococcal phages from cheese factories. - **N.Z.J. Dairy Sci. Technol.**, **11**; 155-163 (1976).

TERZAGHI, B.E., a. SANDINE, W.E.: Improved medium for lactic streptococci and their bacteriophages. - **Appl. Microbiol.**, **29**; 807-813 (1975).

Ordering Information

Product	Cat. No.	Pack size
M 17 Broth acc. to TERZAGHI	1.15029.0500	500 g

Merck KGaA, 64271 Darmstadt, Germany
Fax: +49 (0) 61 51 / 72-60 80
mibio@merckgroup.com
www.merckmillipore.com/biomonitoring

Find contact information for your country at:
www.merckmillipore.com/offices
For Technical Service, please visit:
www.merckmillipore.com/techservice



We provide information and advice to our customers on application technologies and regulatory matters to the best of our knowledge and ability, but without obligation or liability. Existing laws and regulations are to be observed in all cases by our customers. This also applies in respect to any rights of third parties. Our information and advice do not relieve our customers of their own responsibility for checking the suitability of our products for the envisaged purpose.

Merck Millipore, the M logo, are registered trademarks of Merck KGaA, Darmstadt, Germany. ATCC is a registered trademark of ATCC, Manassas, VA, USA. Lit. No. TN1824EN00